

Публикации

1. Siniavin AE, Streltsova MA, Nikiforova MA, Kudryavtsev DS, Grinkina SD, Gushchin VA, Mozhaeva VA, Starkov VG, Osipov AV, Lummis SCR, Tsetlin VI, **Utkin YN** (2021). Snake venom phospholipase A2s exhibit strong virucidal activity against SARS-CoV-2 and inhibit the viral spike glycoprotein interaction with ACE2. *Cell Mol Life Sci* , , [10.1007/s00018-021-03985-6](#)
2. Dubinnyi MA, Dubovskii PV, Starkov VG, **Utkin YN** (2021). Corrigendum to “The omega-loop of cobra cytotoxins tolerates multiple amino acid substitutions” [Biochem. Biophys. Res. Commun. 558 (2021) 141–146]. *Biochem Biophys Res Commun* 579, 188, [10.1016/j.bbrc.2021.09.077](#)
3. Averin AS, **Utkin YN** (2021). Cardiovascular Effects of Snake Toxins: Cardiotoxicity and Cardioprotection. *Acta Naturae* 13 (3), 4–14, [10.32607/actanaturae.11375](#)
4. **Utkin Y** (2021). Animal Venoms and Their Components: Molecular Mechanisms of Action. *Toxins (Basel)* 13 (6), , [10.3390/toxins13060415](#)
5. Cao Z, Wang JL, McNutt PM, **Utkin YN**, Shahbazzadeh D, Wulff H, Kovacic H, Sabatier JM (2021). Editorial: Venoms, Animal and Microbial Toxins. *Front Pharmacol* 12, 706573, [10.3389/fphar.2021.706573](#)
6. Dubinnyi A, Dubovskii V, Starkov G, **Utkin N** (2021). The omega-loop of cobra cytotoxins tolerates multiple amino acid substitutions. *Biochem Biophys Res Commun* 558, 141–146, [10.1016/j.bbrc.2021.04.069](#)
7. Modica MV, Ahmad R, Ainsworth S, Anderluh G, Antunes A, Beis D, Caliskan F, Serra MD, Dutertre S, Moran Y, Nalbantsoy A, Oukkache N, Pekar S, Remm M, von Reumont BM, Sarigiannis Y, Tarallo A, Tytgat J, Undheim EAB, **Utkin Y**, Verdes A, Violette A, Zancolli G (2021). The new COST Action European Venom Network (EUVEN)—synergy and future perspectives of modern venomics. *Gigascience* 10 (3), , [10.1093/gigascience/giab019](#)
8. Terpinskaya TI, Osipov AV, Kryukova EV, Kudryavtsev DS, Kopylova NV, Yanchanka TL, Palukoshka AF, Gondarenko EA, Zhmak MN, Tsetlin VI, **Utkin YN** (2021). α -Conotoxins and α -Cobratoxin Promote, while Lipoxigenase and Cyclooxygenase Inhibitors Suppress the Proliferation of Glioma C6 Cells. *Mar Drugs* 19 (2), , [10.3390/md19020118](#)
9. Son L, Kryukova E, Ziganshin R, Andreeva T, Kudryavtsev D, Kasheverov I, Tsetlin V, **Utkin Y** (2021). Novel Three-Finger Neurotoxins from *Naja melanoleuca* Cobra Venom Interact with GABAA and Nicotinic Acetylcholine Receptors. *Toxins (Basel)* 13 (2), , [10.3390/toxins13020164](#)
10. Mineev KS, Kryukova EV, Kasheverov IE, Egorova NS, Zhmak MN, Ivanov IA, Senko DA, Feofanov AV, Ignatova AA, Arseniev AS, **Utkin YN**, Tsetlin VI (2021). Spatial Structure and Activity of Synthetic Fragments of Lynx1 and of Nicotinic Receptor Loop C Models. *Biomolecules* 11 (1), 1–16, [10.3390/biom11010001](#)
11. Babenko VV, Ziganshin RH, Weise C, Dyachenko I, Shaykhutdinova E, Murashev AN, Zhmak M, Starkov V, Hoang AN, Tsetlin V, **Utkin Y** (2020). Novel Bradykinin-Potentiating Peptides and Three-Finger Toxins from Viper Venom: Combined NGS Venom Gland Transcriptomics and Quantitative Venom Proteomics of the *Azemiops feae* Viper. *Biomedicines* 8 (8), , [10.3390/biomedicines8080249](#)
12. Tsetlin VI, Kasheverov IE, **Utkin YN** (2020). Three-finger proteins from snakes and humans acting on nicotinic receptors: old and new. *J Neurochem* 158 (6), 1223–1235, [10.1111/jnc.15123](#)
13. Kryukova EV, Vulfius CA, Ziganshin RH, Andreeva TV, Starkov VG, Tsetlin VI, **Utkin YN** (2020). Snake C-type lectin-like proteins inhibit nicotinic acetylcholine receptors. *J Venom Res* 10, 23–29.
14. Islam T, Majumdar M, Bidkar A, Ghosh SS, Mukhopadhyay R, **Utkin Y**, Mukherjee AK (2020). Nerve growth factor from Indian Russell's viper venom (RVV-NGFa) shows high affinity binding to TrkA receptor expressed in breast cancer cells: Application of fluorescence labeled RVV-NGFa in the clinical diagnosis of breast cancer. *Biochimie* 176, 31–44, [10.1016/j.biochi.2020.06.004](#)
15. Terpinskaya TI, Osipov AV, Balashevich TV, Yanchanka TL, Tamashionik EA, Tsetlin VI, **Utkin YN** (2020). Blockers of Nicotinic Acetylcholine Receptors Delay Tumor Growth and Increase Antitumor Activity of Mouse Splenocytes. *Dokl Biochem Biophys* 491 (1), 89–92, [10.1134/S1607672920020143](#)
16. Pivovarov AS, Palikhova TA, Nikolaev GM, Velikanov AN, Vasilieva NA, Kasheverov IE, **Utkin YN**, Tsetlin VI (2020). Atypical Acetylcholine Receptors on the Neurons of the Turkish Snail. *Dokl Biochem Biophys* 491 (1), 81–84, [10.1134/S1607672920020118](#)

17. Kuleshina ON, Krjukova EV, Cheremnykh EG, Kozlov LV, Andreeva TV, Starkov VG, Osipov AV, Ziganshin RH, Tsetlin VI, **Utkin YN** (2020). Screening Snake Venoms for Toxicity to Tetrahymena Pyriformis Revealed Anti-Protozoan Activity of Cobra Cytotoxins. *Toxins (Basel)* 12 (5), , [10.3390/toxins12050325](https://doi.org/10.3390/toxins12050325)
18. (конференция) Kasheverov IE, Oparin PB, Vassilevski AA, Ivanov IA, Tsetlin VI, **Utkin YN** (2020). Channel blockers from scorpion venoms inhibit nicotinic acetylcholine receptors. *Toxicon* 177 Suppl 1, S11, [10.1016/j.toxicon.2019.10.049](https://doi.org/10.1016/j.toxicon.2019.10.049)
19. (конференция) **Utkin Y**, Kuch U, Osipov A, Kasheverov I, Kudryavtsev D, Starkov V, Ziganshin R, Mebs D, Tsetlin V (2020). Three finger neurotoxins: Recent discoveries and arising questions. *Toxicon* 177 Suppl 1, S10–S11, [10.1016/j.toxicon.2019.10.048](https://doi.org/10.1016/j.toxicon.2019.10.048)
20. Osipov AV, Terpinskaya TI, Yanchanka T, Balashevich T, Zhmak MN, Tsetlin VI, **Utkin YN** (2020). α -Conotoxins Enhance both the In Vivo Suppression of Ehrlich carcinoma Growth and In Vitro Reduction in Cell Viability Elicited by Cyclooxygenase and Lipoxygenase Inhibitors. *Mar Drugs* 18 (4), , [10.3390/md18040193](https://doi.org/10.3390/md18040193)
21. Vulfius CA, Lebedev DS, Kryukova EV, Kudryavtsev DS, Kolbaev SN, **Utkin YN**, Tsetlin VI (2020). NU-120596, a Positive Allosteric Modulator of Mammalian $\alpha 7$ Nicotinic Acetylcholine Receptor, is a Negative Modulator of Ligand-Gated Chloride-Selective Channels of the Gastropod *Lymnaea stagnalis*. *J Neurochem* 155 (3), 274–284, [10.1111/jnc.15020](https://doi.org/10.1111/jnc.15020)
22. Siniavin AE, Streltsova MA, Kudryavtsev DS, Shelukhina IV, **Utkin YN**, Tsetlin VI (2020). Activation of $\alpha 7$ Nicotinic Acetylcholine Receptor Upregulates HLA-DR and Macrophage Receptors: Potential Role in Adaptive Immunity and in Preventing Immunosuppression. *Biomolecules* 10 (4), 507, [10.3390/biom10040507](https://doi.org/10.3390/biom10040507)
23. Dubovskii PV, Ignatova AA, Feofanov AV, **Utkin YN**, Efremov RG (2020). Antibacterial activity of cardiotoxin-like basic polypeptide from cobra venom. *Bioorg Med Chem Lett* 30 (3), 126890, [10.1016/j.bmcl.2019.126890](https://doi.org/10.1016/j.bmcl.2019.126890)
24. Tran TV, Siniavin AE, Hoang AN, Le MTT, Pham CD, Phung TV, Nguyen KC, Ziganshin RH, Tsetlin VI, Weng CF, **Utkin YN** (2019). Phospholipase A2 from krait *Bungarus fasciatus* venom induces human cancer cell death in vitro. *PeerJ* 7 (12), e8055, [10.7717/peerj.8055](https://doi.org/10.7717/peerj.8055)
25. Kryukova EV, Potapenko AS, Andreeva TV, Ivanov IA, Ryabinin VV, Ziganshin RH, Starkov VG, Ayvazyan NM, Tsetlin VI, **Utkin YN** (2019). Dimeric Disintegrins from the Steppe Viper *V. ursinii* Venom. *Dokl Biochem Biophys* 488 (1), 338–341, [10.1134/S1607672919050132](https://doi.org/10.1134/S1607672919050132)
26. Nguyen TD, Nguyen TN, Nguyen TTT, Ivanov IA, Nguyen KC, Tran QN, Hoang AN, **Utkin YN** (2019). Nanoencapsulation Enhances Anticoagulant Activity of Adenosine and Dipeptide IleTrp. *Nanomaterials (Basel)* 9 (9), , [10.3390/nano9091191](https://doi.org/10.3390/nano9091191)
27. Averin AS, Astashev ME, Andreeva TV, Tsetlin VI, **Utkin YN** (2019). Cardiotoxins from Cobra *Naja oxiana* Change the Force of Contraction and the Character of Rhythmoinotropic Phenomena in the Rat Myocardium. *Dokl Biochem Biophys* 487 (1), 282–286, [10.1134/S1607672919040094](https://doi.org/10.1134/S1607672919040094)
28. Nguyen TD, Nguyen TN, Nguyen KC, Tran QN, Hoang AN, Egorova NS, Starkov VG, Tsetlin VI, **Utkin YN** (2019). Encapsulation of Neurotoxins, Blockers of Nicotinic Acetylcholine Receptors, in Nanomaterials Based on Sulfated Polysaccharides. *Dokl Biochem Biophys* 487 (1), 251–255, [10.1134/S1607672919040021](https://doi.org/10.1134/S1607672919040021)
29. Kasheverov IE, Oparin PB, Zhmak MN, Egorova NS, Ivanov IA, Gigolaev AM, Nekrasova OV, Serebryakova MV, Kudryavtsev DS, Prokopev NA, Hoang AN, Tsetlin VI, Vassilevski AA, **Utkin YN** (2019). Scorpion toxins interact with nicotinic acetylcholine receptors. *FEBS Lett* 593 (19), 2779–2789, [10.1002/1873-3468.13530](https://doi.org/10.1002/1873-3468.13530)
30. Kryukova EV, Egorova NS, Kudryavtsev DS, Lebedev DS, Spirova EN, Zhmak MN, Garifulina AI, Kasheverov IE, **Utkin YN**, Tsetlin VI (2019). From Synthetic Fragments of Endogenous Three-Finger Proteins to Potential Drugs. *Front Pharmacol* 10, 748, [10.3389/fphar.2019.00748](https://doi.org/10.3389/fphar.2019.00748)
31. **Utkin Y**, Vassilevski A, Kudryavtsev D, Undheim EAB (2019). Editorial: Animal Toxins as Comprehensive Pharmacological Tools to Identify Diverse Ion Channels. *Front Pharmacol* 10 (APR), 423, [10.3389/fphar.2019.00423](https://doi.org/10.3389/fphar.2019.00423)
32. **Utkin YN**, Kuch U, Kasheverov IE, Lebedev DS, Cederlund E, Molles BE, Polyak IL, Ivanov IA, Prokopev NA, Ziganshin RH, Jornvall H, Alvelius G, Chanhom L, Warrell DA, Mebs D, Bergman T, Tsetlin VI (2019). Novel Long-chain Neurotoxins from Distinguish the Two Binding Sites in Muscle-type Nicotinic Acetylcholine Receptors. *Biochem J* 476 (8), 1285–1302, [10.1042/BCJ20180909](https://doi.org/10.1042/BCJ20180909)
33. **Utkin YN** (2019). Aging Affects Nicotinic Acetylcholine Receptors in Brain. *Cent Nerv Syst Agents Med Chem* 19 (2), 119–124, [10.2174/1871524919666190320102834](https://doi.org/10.2174/1871524919666190320102834)
34. Shchegravina ES, Tretiakova DS, Alekseeva AS, Galimzyanov TR, **Utkin YN**, Ermakov YA, Svirshchevskaya

- EV, Negrebetsky VV, Karpechenko NY, Chernikov VP, Onishchenko NR, Vodovozova EL, Fedorov AY, Boldyrev IA (2019). Phospholipidic Colchicinoids as Promising Prodrugs Incorporated into Enzyme-Responsive Liposomes: Chemical, Biophysical, and Enzymological Aspects. *Bioconj Chem* 30 (4), 1098–1113, [10.1021/acs.bioconjchem.9b00051](https://doi.org/10.1021/acs.bioconjchem.9b00051)
35. Ryabinin VV, Ziganshin RH, Starkov VG, Tsetlin VI, **Utkin YN** (2019). Intraspecific Variability in the Composition of the Venom from Monocled Cobra (*Naja kaouthia*). *Russ. J. Bioorganic Chem.* 45 (2), 107–121, [10.1134/S1068162019020109](https://doi.org/10.1134/S1068162019020109)
36. **Utkin YN** (2019). Last decade update for three-finger toxins: Newly emerging structures and biological activities. *World J Biol Chem* 10 (1), 17–27, [10.4331/wjbc.v10.i1.17](https://doi.org/10.4331/wjbc.v10.i1.17)
37. Kovyazina IV, Kopylova NV, **Utkin YN**, Bukharaeva EA, Nikolsky EE, Vulfius CA (2019). Depression of the Evoked Quantal Acetylcholine Secretion in Frog Neuromuscular Junction by Phospholipases A2 from the Venom of Steppe Viper *Vipera ursinii renardi*. *Biochem (Mosc) Suppl Ser A Membr Cell Biol* 13 (1), 78–84, [10.1134/S1990747819010069](https://doi.org/10.1134/S1990747819010069)
38. **Utkin Y** (2018). Brain and Quantum Dots: Benefits of Nanotechnology for Healthy and Diseased Brain. *Cent Nerv Syst Agents Med Chem* 18 (3), 193–205, [10.2174/1871524918666180813141512](https://doi.org/10.2174/1871524918666180813141512)
39. Makarova YV, Kryukova EV, Shelukhina IV, Lebedev DS, Andreeva TV, Ryazantsev DY, Balandin SV, Ovchinnikova TV, Tsetlin VI, **Utkin YN** (2018). The First Recombinant Viper Three-Finger Toxins: Inhibition of Muscle and Neuronal Nicotinic Acetylcholine Receptors. *Dokl Biochem Biophys* 479 (1), 127–130, [10.1134/S1607672918020205](https://doi.org/10.1134/S1607672918020205)
40. Shelukhina IV, Zhmak MN, Lobanov AV, Ivanov IA, Garifulina AI, Kravchenko IN, Rasskazova EA, Salmova MA, Tukhovskaya EA, Rykov VA, Slashcheva GA, Egorova NS, Muzyka IS, Tsetlin VI, **Utkin YN** (2018). Azemiopsin, a selective peptide antagonist of muscle nicotinic acetylcholine receptor: Preclinical evaluation as a local muscle relaxant. *Toxins (Basel)* 10 (1), , [10.3390/toxins10010034](https://doi.org/10.3390/toxins10010034)
41. Kovyazina IV, Kopylova NV, **Utkin YN**, Bukharaeva EA, Nikolsky EE, Vulfius CA (2018). Depression of the evoked quantal acetylcholine secretion in frog neuromuscular junction by phospholipases A2 from the venom of steppe viper *Vipera ursinii renardi*. *BIOL MEMBRANY* 35 (1), 71–78, [10.7868/S0233475518010085](https://doi.org/10.7868/S0233475518010085)
42. Dubovskii PV, Dubinnyi MA, Volynsky PE, Pustovalova YE, Konshina AG, **Utkin YN**, Arseniev AS, Efremov RG (2017). Impact of membrane partitioning on the spatial structure of an S-type cobra cytotoxin. *J Biomol Struct Dyn* 36 (13), 1–16, [10.1080/07391102.2017.1389662](https://doi.org/10.1080/07391102.2017.1389662)
43. Tran TV, Hoang AN, Nguyen TTT, van Phung T, Nguyen KC, Osipov AV, Ivanov IA, Tsetlin VI, **Utkin YN** (2017). Anticoagulant activity of low-molecular weight compounds from heterometrus laoticus scorpion venom. *Toxins (Basel)* 9 (11), , [10.3390/toxins9110343](https://doi.org/10.3390/toxins9110343)
44. Kryukova EV, Shelukhina IV, Kolacheva AA, Alieva AK, Shadrina MI, Slominsky PA, Kasheverov IE, **Utkin YN**, Ugrumov MV, Tsetlin VI (2017). Possible involvement of neuronal nicotinic acetylcholine receptors in compensatory brain mechanisms at early stages of Parkinson's disease. *Biochemistry (Moscow) Supplement Series B: Biomedical Chemistry* 11 (4), 363–370, [10.1134/S1990750817040035](https://doi.org/10.1134/S1990750817040035)
45. Vulfius CA, Kasheverov IE, Kryukova EV, Spirova EN, Shelukhina IV, Starkov VG, Andreeva TV, Faure G, Zouridakis M, Tsetlin VI, **Utkin YN** (2017). Pancreatic and snake venom presynaptically active phospholipases A2 inhibit nicotinic acetylcholine receptors. *PLoS One* 12 (10), e0186206, [10.1371/journal.pone.0186206](https://doi.org/10.1371/journal.pone.0186206)
46. Osipov AV, Terpinskaya TI, Kuznetsova TE, Ryzhkovskaya EL, Lukashevich VS, Rudnichenko JA, Ulashchik VS, Starkov VG, **Utkin YN** (2017). Cobra venom factor and ketoprofen abolish the antitumor effect of nerve growth factor from cobra venom. *Toxins (Basel)* 9 (9), , [10.3390/toxins9090274](https://doi.org/10.3390/toxins9090274)
47. Thien TV, Anh HN, Trang NTT, Trung PV, Khoa NC, Osipov AV, Dubovskii PV, Ivanov IA, Arseniev AS, Tsetlin VI, **Utkin YN** (2017). Low-molecular-weight compounds with anticoagulant activity from the scorpion *Heterometrus laoticus* venom. *Dokl Biochem Biophys* 476 (1), 316–319, [10.1134/S1607672917050052](https://doi.org/10.1134/S1607672917050052)
48. Makarova YV, Shelukhina IV, Mukherjee AK, Kuznetsov DV, Tsetlin VI, **Utkin YN** (2017). Detection of human neuronal $\alpha 7$ nicotinic acetylcholine receptors by conjugates of snake α -neurotoxin with quantum dots. *Dokl Biochem Biophys* 475 (1), 253–255, [10.1134/S1607672917040032](https://doi.org/10.1134/S1607672917040032)
49. Alekseeva AS, Tretiakova DS, Chernikov VP, **Utkin YN**, Molotkovsky JG, Vodovozova EL, Boldyrev IA (2017). Heterodimeric V. nikolskii phospholipases A2 induce aggregation of the lipid bilayer. *Toxicon* 133, 169–179, [10.1016/j.toxicon.2017.05.015](https://doi.org/10.1016/j.toxicon.2017.05.015)

50. Osipov AV, Meshcheryakova AV, Starkov VG, Ziganshin RK, Oustitch TL, Peters LE, Tsetlin VI, **Utkin YN** (2017). New paradoxical three-finger toxin from the cobra *Naja kaouthia* venom: Isolation and characterization. *Dokl Biochem Biophys* 475 (1), 264–266, [10.1134/S1607672917040068](https://doi.org/10.1134/S1607672917040068)
51. Lebedev DS, Ivanov IA, Kryukova EV, Starkov VG, Tsetlin VI, **Utkin YN** (2017). Arginine derivatives of dicarboxylic acids from the parotid gland secretions of common toad *Bufo bufo*—New agonists of ionotropic γ -aminobutyric acid receptors. *Dokl Biochem Biophys* 474 (1), 178–182, [10.1134/S1607672917030127](https://doi.org/10.1134/S1607672917030127)
52. **Utkin YN** (2017). Modern trends in animal venom research - omics and nanomaterials. *World J Biol Chem* 8 (1), 4–12, [10.4331/wjbc.v8.i1.4](https://doi.org/10.4331/wjbc.v8.i1.4)
53. Thien TV, Anh HN, Trang NTT, Trung PV, Khoa NC, Osipov AV, Dubovskii PV, Ivanov A, Arseniev S, Tsetlin I, **Utkin YN** (2017). Low-Molecular Compounds with Anticoagulant Activity from Scorpion *Heterometrus loaticus* Venom. *Dokl Biochem Biophys* 476 (4), 476–479, [10.7868/S086956521728026X](https://doi.org/10.7868/S086956521728026X)
54. Shulepko MA, Lyukmanova EN, Shenkarev ZO, Dubovskii PV, Astapova MV, Feofanov AV, Arseniev AS, **Utkin YN**, Kirpichnikov MP, Dolgikh DA (2017). Towards universal approach for bacterial production of three-finger Ly6/uPAR proteins: Case study of cytotoxin I from cobra *N. oxiana*. *Protein Expr Purif* 130, 13–20, [10.1016/j.pep.2016.09.021](https://doi.org/10.1016/j.pep.2016.09.021)
55. Kryukova EV, Lebedev DS, Ivanov IA, Ivanov DA, Starkov VG, Tsetlin VI, **Utkin YN** (2017). N-methyl serotonin analogues from the *Bufo bufo* toad venom interact efficiently with the $\alpha 7$ nicotinic acetylcholine receptors. *Dokl Biochem Biophys* 472 (1), 52–55, [10.1134/S1607672917010136](https://doi.org/10.1134/S1607672917010136)
56. Terpinskaya TI, Ulashchik VS, Osipov AV, Tsetlin VI, **Utkin YN** (2016). Suppression of Ehrlich carcinoma growth by cobra venom factor. *Dokl Biol Sci* 470 (1), 240–243, [10.1134/S0012496616050021](https://doi.org/10.1134/S0012496616050021)
57. Vulfius CA, Spirova EN, Serebryakova MV, Shelukhina IV, Kudryavtsev DS, Kryukova EV, Starkov VG, Kopylova NV, Zhmak MN, Ivanov IA, Kudryashova KS, Andreeva TV, Tsetlin VI, **Utkin YN** (2016). Peptides from puff adder *Bitis arietans* venom, novel inhibitors of nicotinic acetylcholine receptors. *Toxicon* 121, 70–76, [10.1016/j.toxicon.2016.08.020](https://doi.org/10.1016/j.toxicon.2016.08.020)
58. Lyukmanova EN, Shulepko MA, Shenkarev ZO, Kasheverov IE, Chugunov AO, Kulbatskii DS, Myshkin MY, **Utkin YN**, Efremov RG, Tsetlin VI, Arseniev AS, Kirpichnikov MP, Dolgikh DA (2016). Central loop of non-conventional toxin WTX from *Naja kaouthia* is important for interaction with nicotinic acetylcholine receptors. *Toxicon* 119, 274–279, [10.1016/j.toxicon.2016.06.012](https://doi.org/10.1016/j.toxicon.2016.06.012)
59. Faure G, Shelukhina IV, Porowinska D, Shulepko MA, Lyukmanova EN, Dolgikh DA, Spirova EN, Kasheverov IE, **Utkin YN**, Corringer JP, Tsetlin VI (2016). Interaction of three-finger proteins from snake venoms and from mammalian brain with the cys-loop receptors and their models. *Dokl Biochem Biophys* 468 (1), 193–196, [10.1134/S1607672916030091](https://doi.org/10.1134/S1607672916030091)
60. Kovalchuk SI, Ziganshin RH, Starkov VG, Tsetlin VI, **Utkin YN** (2016). Quantitative proteomic analysis of venoms from Russian vipers of *Pelias* group: Phospholipases A2 are the main venom components. *Toxins (Basel)* 8 (4), 105, [10.3390/toxins8040105](https://doi.org/10.3390/toxins8040105)
61. Zakharova GV, Konstantinov RR, Odinokov AV, Chibisov AK, Alfimov MV, Kasheverov IE, **Utkin YN**, Zhmak MN, Tsetlin VI (2016). Effect of a peptide modeling the nicotinic receptor binding site on the spectral and luminescent properties of dye complexes with cucurbit[8]uril. *HIGH ENERG CHEM+* 50 (2), 121–126, [10.1134/S0018143916020090](https://doi.org/10.1134/S0018143916020090)
62. **(книга) Utkin YN**, Krivoshein AV (2016). Snake venoms and envenomation: Modern trends and future prospects. , 1–303.
63. **(книга) Utkin YN**, Krivoshein AV (2016). Preface (Snake venoms and envenomation: Modern trends and future prospects). , xi–x.
64. Ziganshin RH, Kovalchuk SI, Arapidi GP, Starkov VG, Hoang AN, Thi Nguyen TT, Nguyen KC, Shoibonov BB, Tsetlin VI, **Utkin YN** (2015). Quantitative proteomic analysis of Vietnamese krait venoms: Neurotoxins are the major components in *Bungarus multicinctus* and phospholipases A2 in *Bungarus fasciatus*. *Toxicon* 107 (Pt B), 197–209, [10.1016/j.toxicon.2015.08.026](https://doi.org/10.1016/j.toxicon.2015.08.026)
65. Lyukmanova EN, Shenkarev ZO, Shulepko MA, Paramonov AS, Chugunov AO, Janickova H, Dolejsi E, Dolezal V, **Utkin YN**, Tsetlin VI, Arseniev AS, Efremov RG, Dolgikh DA, Kirpichnikov MP (2015). Structural insight into specificity of interactions between nonconventional three-finger weak toxin from *Naja kaouthia* (WTX) and muscarinic acetylcholine receptors. *J Biol Chem* 290 (39), 23616–23630, [10.1074/jbc.M115.656595](https://doi.org/10.1074/jbc.M115.656595)

66. Yamauchi Y, Kimoto H, Yang X, Filkin S, **Utkin Y**, Kubo T, Inagaki H (2015). Pr-SNTX, a short-chain three-finger toxin from Papuan pigmy mulga snake, is an antagonist of muscle-type nicotinic acetylcholine receptor ($\alpha 2\beta\delta\epsilon$). *Biosci Biotechnol Biochem* 80 (1), 158–161, [10.1080/09168451.2015.1065169](https://doi.org/10.1080/09168451.2015.1065169)
67. Kudryavtsev DS, Shelukhina IV, Son LV, Ojomoko LO, Kryukova EV, Lyukmanova EN, Zhmak MN, Dolgikh DA, Ivanov IA, Kasheverov IE, Starkov VG, Ramerstorfer J, Sieghart W, Tsetlin VI, **Utkin YN** (2015). Neurotoxins from snake venoms and α -Conotoxin Iml inhibit functionally active Ionotropic γ -aminobutyric acid (GABA) receptors. *J Biol Chem* 290 (37), 22747–22758, [10.1074/jbc.M115.648824](https://doi.org/10.1074/jbc.M115.648824)
68. **Utkin YN**, Kasheverov IE, Kudryavtsev DS, Andreeva TV, Starkov VG, Ziganshin RH, Kuznetsov DV, Anh HN, Thao NTT, Khoa NC, Tsetlin VI (2015). Nonconventional three-finger toxin BMLCL from krait Bungarus multicinctus venom with high affinity interacts with nicotinic acetylcholine receptors. *Dokl Biochem Biophys* 464 (1), 294–297, [10.1134/S1607672915050099](https://doi.org/10.1134/S1607672915050099)
69. Terpinskaya TI, Osipov AV, Kuznetsova TE, Ryzhkovskaya EL, Ulaschik VS, Ivanov IA, Tsetlin VI, **Utkin YN** (2015). α -conotoxins revealed different roles of nicotinic cholinergic receptor subtypes in oncogenesis of Ehrlich tumor and in the associated inflammation. *Dokl Biochem Biophys* 463 (1), 216–219, [10.1134/S1607672915040055](https://doi.org/10.1134/S1607672915040055)
70. **Utkin YN** (2015). Animal venom studies: Current benefits and future developments. *World J Biol Chem* 6 (2), 28–33, [10.4331/wjbc.v6.i2.28](https://doi.org/10.4331/wjbc.v6.i2.28)
71. Kudryavtsev D, Shelukhina I, Vulfius C, Makarieva T, Stonik V, Zhmak M, Ivanov I, Kashevero I, **Utkin Y**, Tsetlin V (2015). Natural compounds interacting with nicotinic acetylcholine receptors: From low-molecular weight ones to peptides and proteins. *Toxins (Basel)* 7 (5), 1683–1701, [10.3390/toxins7051683](https://doi.org/10.3390/toxins7051683)
72. Vulfius CA, Starkov VG, Andreeva TV, Tsetlin VI, **Utkin YN** (2015). Novel antagonists of nicotinic acetylcholine receptors—proteins from venoms of Viperidae snakes. *Dokl Biochem Biophys* 461 (1), 119–122, [10.1134/S1607672915020143](https://doi.org/10.1134/S1607672915020143)
73. Dubovskii PV, **Utkin YN** (2015). Antiproliferative activity of cobra venom cytotoxins. *Curr Top Med Chem* 15 (7), 638–648, [10.2174/1568026615666150217113011](https://doi.org/10.2174/1568026615666150217113011)
74. **Utkin YN**, Gantsova EA, Andreeva TV, Starkov VG, Ziganshin RH, Anh HN, Thao NTT, Khoa NC, Tsetlin VI (2015). Venoms of kraits Bungarus multicinctus and Bungarus fasciatus contain anticoagulant proteins. *Dokl Biochem Biophys* 460 (1), 53–58, [10.1134/S1607672915010159](https://doi.org/10.1134/S1607672915010159)
75. Dubovskii PV, Vorontsova OV, **Utkin YN**, Arseniev AS, Efremov RG, Feofanov AV (2015). Cobra cytotoxins: Determinants of antibacterial activity. *MENDELEEV COMMUN* 25 (1), 70–71, [10.1016/j.mencom.2015.01.026](https://doi.org/10.1016/j.mencom.2015.01.026)
76. Ghazaryan NA, Ghulikyan L, Kishmiryan A, Andreeva TV, **Utkin YN**, Tsetlin VI, Lomonte B, Ayzazyan NM (2015). Phospholipases A2 from Viperidae snakes: Differences in membranotropic activity between enzymatically active toxin and its inactive isoforms. *BIOCHIM BIOPHYS ACTA* 1848 (2), 463–468, [10.1016/j.bbamem.2014.10.037](https://doi.org/10.1016/j.bbamem.2014.10.037)
77. Vulfius CA, Kasheverov IE, Starkov VG, Osipov AV, Andreeva TV, Filkin SY, Gorbacheva EV, Astashev ME, Tsetlin VI, **Utkin YN** (2014). Inhibition of Nicotinic Acetylcholine Receptors, a Novel Facet in the Pleiotropic Activities of Snake Venom Phospholipases A2. *PLoS One* 9 (12), e115428, [10.1371/journal.pone.0115428](https://doi.org/10.1371/journal.pone.0115428)
78. Дубовский ПВ, **Уткин ЮН** (2014). Цитотоксины кобр: структурная организация и антибактериальная активность. *Acta Naturae* 6 (3), 12–19.
79. Dubovskii PV, **Utkin YN** (2014). Cobra cytotoxins: structural organization and antibacterial activity. *Acta Naturae* 6 (3), 11–8.
80. Osipov AV, Terpinskaya TI, Kryukova EV, Ulaschik VS, Paulovets LV, Petrova EA, Blagun EV, Starkov VG, **Utkin YN** (2014). Nerve growth factor from cobra venom inhibits the growth of Ehrlich tumor in mice. *Toxins (Basel)* 6 (3), 784–795, [10.3390/toxins6030784](https://doi.org/10.3390/toxins6030784)
81. Hoang AN, Vo HDM, Vo NP, Kudryashova KS, Nekrasova OV, Feofanov AV, Kirpichnikov MP, Andreeva TV, Serebryakova MV, Tsetlin VI, **Utkin YN** (2014). Vietnamese Heterometrus laoticus scorpion venom: Evidence for analgesic and anti-inflammatory activity and isolation of new polypeptide toxin acting on Kv1.3 potassium channel. *Toxicon* 77, 40–48, [10.1016/j.toxicon.2013.10.027](https://doi.org/10.1016/j.toxicon.2013.10.027)
82. Kazaryan NA, Gulikyan L, Lomonte B, Andreeva TV, Tsetlin VI, **Utkin YN**, Aivazyanyan NM (2014). Comparative analysis of membranotropic properties of various phospholipases A2 from venom of snakes of the family viperidae. *Dokl Biochem Biophys* 457 (1), 125–127, [10.1134/S1607672914040024](https://doi.org/10.1134/S1607672914040024)
83. Dubovskii PV, **Utkin YN** (2014). Cobra cytotoxins: Structural organization and antibacterial activity. *Acta*

- Naturae* 6 (22), 11–18, [10.32607/20758251-2014-6-3-11-18](https://doi.org/10.32607/20758251-2014-6-3-11-18)
84. Vulfius CA, Gorbacheva EV, Starkov VG, Kasheverov IE, Andreeva TV, Osipov AV, Tsetlin VI, **Utkin YN** (2013). Phospholipases A2 isolated from snake venoms block acetylcholine-elicited currents in identified *Lymnaea stagnalis* neurons. *Biochem (Mosc) Suppl Ser A Membr Cell Biol* 7 (3), 203–206, [10.1134/S1990747813040077](https://doi.org/10.1134/S1990747813040077)
 85. Osipov AV, Terpinskaya TI, Ulaschik VS, Tsetlin VI, **Utkin YN** (2013). Nerve growth factor suppresses Ehrlich carcinoma growth. *Dokl Biochem Biophys* 451 (1), 207–208, [10.1134/S1607672913040108](https://doi.org/10.1134/S1607672913040108)
 86. Dyachenko IA, Murashev AN, Andreeva TV, Tsetlin VI, **Utkin YN** (2013). Analysis of nociceptive effects of neurotoxic phospholipase A2 from *Vipera nikolskii* venom in mice. *J Venom Res* 4, 1–4.
 87. Anh HN, Hoang VDM, Kudryashova KS, Nekrasova OV, Feofanov AV, Andreeva TV, Tsetlin VI, **Utkin YN** (2013). Hetlaxin, a new toxin from the *Heterometrus laoticus* scorpion venom, interacts with voltage-gated potassium channel Kv1.3. *Dokl Biochem Biophys* 449 (1), 109–111, [10.1134/S1607672913020142](https://doi.org/10.1134/S1607672913020142)
 88. **Utkin YN** (2013). Three-finger toxins, a deadly weapon of elapid venom - Milestones of discovery. *Toxicon* 62, 50–55, [10.1016/j.toxicon.2012.09.007](https://doi.org/10.1016/j.toxicon.2012.09.007)
 89. **Utkin YN**, Weise C, Kasheverov IE, Andreeva TV, Kryukova EV, Zhmak MN, Starkov VG, Hoang NA, Bertrand D, Ramerstorfer J, Sieghart W, Thompson AJ, Lummis SCR, Tsetlin VI (2012). Azemiopsin from *Azemiops feae* viper venom, a novel polypeptide ligand of nicotinic acetylcholine receptor. *J Biol Chem* 287 (32), 27079–27086, [10.1074/jbc.M112.363051](https://doi.org/10.1074/jbc.M112.363051)
 90. **Utkin YN**, Weise C, Anh HN, Kasheverov IE, Starkov VG, Tsetlin VI (2012). Erratum to "The new peptide from the *Fea's* viper *Azemiops feae* venom interacts with nicotinic acetylcholine receptors" (*Dokl. Biochem. Biophys.*, (2012), 442, 1 (33-35)). *Dokl Biochem Biophys* 444 (1), 182, [10.1134/S1607672912030027](https://doi.org/10.1134/S1607672912030027)
 91. Osipov AV, Rucktooa P, Kasheverov IE, Filkin SY, Starkov VG, Andreeva TV, Sixma TK, Bertrand D, **Utkin YN**, Tsetlin VI (2012). Dimeric α -Cobratoxin X-ray structure: Localization of intermolecular disulfides and possible mode of binding to nicotinic acetylcholine receptors. *J Biol Chem* 287 (9), 6725–6734, [10.1074/jbc.M111.322313](https://doi.org/10.1074/jbc.M111.322313)
 92. **Utkin YN**, Weise C, Anh HN, Kasheverov IE, Starkov VG, Tsetlin VI (2012). The new peptide from the *Fea's* viper *Azemiops feae* venom interacts with nicotinic acetylcholine receptors. *Dokl Biochem Biophys* 442 (1), 33–35, [10.1134/S1607672912010103](https://doi.org/10.1134/S1607672912010103)
 93. Osipov A, **Utkin Y** (2012). Effects of snake venom polypeptides on central nervous system. *Cent Nerv Syst Agents Med Chem* 12 (4), 315–328, [10.2174/187152412803760618](https://doi.org/10.2174/187152412803760618)
 94. Alama A, Bruzzo C, Cavalieri Z, Forlani A, **Utkin Y**, Casciano I, Romani M (2011). Inhibition of the nicotinic acetylcholine receptors by cobra venom α -neurotoxins: Is there a perspective in lung cancer treatment? *PLoS One* 6 (6), e20695, [10.1371/journal.pone.0020695](https://doi.org/10.1371/journal.pone.0020695)
 95. Konshina AG, Boldyrev IA, **Utkin YN**, Omelkov AV, Efremov RG (2011). Snake cytotoxins bind to membranes via interactions with phosphatidylserine head groups of lipids. *PLoS One* 6 (4), e19064, [10.1371/journal.pone.0019064](https://doi.org/10.1371/journal.pone.0019064)
 96. Ramazanova AS, Filkin SY, Starkov VG, **Utkin YN** (2011). Molecular cloning and sequence analysis of cDNAs coding for a serine proteinase and a Kunitz-type inhibitor in the venom gland of the *Vipera nikolskii* viper. *Russ. J. Bioorganic Chem.* 37 (3), 333–343, [10.1134/S1068162011030149](https://doi.org/10.1134/S1068162011030149)
 97. Vulfius CA, Gorbacheva EV, Starkov VG, Osipov AV, Kasheverov IE, Andreeva TV, Astashev ME, Tsetlin VI, **Utkin YN** (2011). An unusual phospholipase A2 from puff adder *Bitis arietans* venom - a novel blocker of nicotinic acetylcholine receptors. *Toxicon* 57 (5), 787–793, [10.1016/j.toxicon.2011.02.013](https://doi.org/10.1016/j.toxicon.2011.02.013)
 98. Tsai IH, Wang YM, Cheng AC, Starkov V, Osipov A, Nikitin I, Makarova Y, Ziganshin R, **Utkin Y** (2011). CDNA cloning, structural, and functional analyses of venom phospholipases A2 and a Kunitz-type protease inhibitor from steppe viper *Vipera ursinii renardi*. *Toxicon* 57 (2), 332–341, [10.1016/j.toxicon.2010.12.012](https://doi.org/10.1016/j.toxicon.2010.12.012)
 99. Osipov , **Utkin** (2011). Phospholipase A2 and Signaling Pathways in Pheochromocytoma PC12 Cells. . .
 100. Konshina AG, Boldyrev IA, Omelkov AV, **Utkin YN**, Efremov RG (2010). Anionic lipids: determinants of binding cytotoxins from snake venom on the surface of cell membranes. *Acta Naturae* 2 (2), 88–96.
 101. Osipov AV, Filkin SY, Makarova YV, Tsetlin VI, **Utkin YN** (2010). A new type of thrombin inhibitor, noncytotoxic phospholipase A2, from the *Naja haje* cobra venom. *Toxicon* 55 (23), 186–194, [10.1016/j.toxicon.2009.07.011](https://doi.org/10.1016/j.toxicon.2009.07.011)
 102. Gao W, Starkov VG, He Zx, Wang Qh, Tsetlin VI, **Utkin YN**, Lin Zj, Bi Rc (2009). Functions, structures and

- Triton X-100 effect for the catalytic subunits of heterodimeric phospholipases A₂ from *Vipera nikolskii* venom. *Toxicon* 54 (6), 709–716, [10.1016/j.toxicon.2009.05.024](https://doi.org/10.1016/j.toxicon.2009.05.024)
103. Lyukmanova EN, Shulepko MA, Tikhonov RV, Shenkarev ZO, Paramonov AS, Wulfson AN, Kasheverov IE, Ustich TL, **Utkin YN**, Arseniev AS, Tsetlin VI, Dolgikh DA, Kirpichnikov MP (2009). Bacterial production and refolding from inclusion bodies of a "weak" toxin, a disulfide rich protein. *Biochemistry (Mosc)* 74 (10), 1142–1149, [10.1134/S0006297909100101](https://doi.org/10.1134/S0006297909100101)
 104. Tsetlin V, **Utkin Y**, Kasheverov I (2009). Polypeptide and peptide toxins, magnifying lenses for binding sites in nicotinic acetylcholine receptors. *Biochem Pharmacol* 78 (7), 720–731, [10.1016/j.bcp.2009.05.032](https://doi.org/10.1016/j.bcp.2009.05.032)
 105. Mordvintsev DY, Polyak YL, Rodionov DI, Jakubik J, Dolezal V, Karlsson E, Tsetlin VI, **Utkin YN** (2009). Weak toxin WTX from *Naja kaouthia* cobra venom interacts with both nicotinic and muscarinic acetylcholine receptors. *FEBS J* 276 (18), 5065–5075, [10.1111/j.1742-4658.2009.07203.x](https://doi.org/10.1111/j.1742-4658.2009.07203.x)
 106. Kasheverov IE, **Utkin YN**, Tsetlin VI (2009). Naturally occurring and synthetic peptides acting on nicotinic acetylcholine receptors. *Curr Pharm Des* 15 (21), 2430–2452, [10.2174/138161209788682316](https://doi.org/10.2174/138161209788682316)
 107. Levtsova OV, Antonov MY, Mordvintsev DY, **Utkin YN**, Shaitan KV, Kirpichnikov MP (2009). Steered molecular dynamics simulations of cobra cytotoxin interaction with zwitterionic lipid bilayer: No penetration of loop tips into membranes. *Comput Biol Chem* 33 (1), 29–32, [10.1016/j.compbiolchem.2008.07.018](https://doi.org/10.1016/j.compbiolchem.2008.07.018)
 108. Ramazanova AS, Starkov VG, Osipov AV, Ziganshin RH, Filkin SY, Tsetlin VI, **Utkin YN** (2009). Cysteine-rich venom proteins from the snakes of Viperinae subfamily - Molecular cloning and phylogenetic relationship. *Toxicon* 53 (1), 162–168, [10.1016/j.toxicon.2008.11.001](https://doi.org/10.1016/j.toxicon.2008.11.001)
 109. Starkov VG, Polyak YL, Vulfius EA, Kryukova EV, Tsetlin VI, **Utkin YN** (2009). New weak toxins from the cobra venom. *Russ. J. Bioorganic Chem.* 35 (1), 10–18, [10.1134/S1068162009010026](https://doi.org/10.1134/S1068162009010026)
 110. Gorbacheva EV, Starkov VG, Tsetlin VI, **Utkin YN**, Vulfius CA (2008). Venoms of snakes from the Viperidae family are capable to block nicotinic acetylcholine receptors and voltage-gated Ca²⁺ channels in identified neurons of *Lymnaea stagnalis*. *BIOL MEMBRANY* 25 (2), 122–127.
 111. Osipov AV, Kasheverov IE, Makarova YV, Starkov VG, Vorontsova OV, Ziganshin RK, Andreeva TV, Serebryakova MV, Benoit A, Hogg RC, Bertrand D, Tsetlin VI, **Utkin YN** (2008). Naturally occurring disulfide-bound dimers of three-fingered toxins: A paradigm for biological activity diversification. *J Biol Chem* 283 (21), 14571–14580, [10.1074/jbc.M802085200](https://doi.org/10.1074/jbc.M802085200)
 112. Ramazanova AS, Zavada LL, Starkov VG, Kovyazina IV, Subbotina TF, Kostyukhina EE, Dementieva IN, Ovchinnikova TV, **Utkin YN** (2008). Heterodimeric neurotoxic phospholipases A₂-The first proteins from venom of recently established species *Vipera nikolskii*: Implication of venom composition in viper systematics. *Toxicon* 51 (4), 524–537, [10.1016/j.toxicon.2007.11.001](https://doi.org/10.1016/j.toxicon.2007.11.001)
 113. Gorbacheva EV, Starkov VG, Tsetlin VI, **Utkin YN**, Vulfius CA (2008). Viperidae snake venoms block nicotinic acetylcholine receptors and voltage-gated Ca²⁺ channels in identified neurons of fresh-water snail *Lymnaea stagnalis*. *Biochem (Mosc) Suppl Ser A Membr Cell Biol* 2 (1), 14–18, [10.1007/s11827-008-1003-x](https://doi.org/10.1007/s11827-008-1003-x)
 114. Koval LM, Zverkova AS, Grailhe R, **Utkin YN**, Tsetlin VI, Komisarenko SV, Skok MV (2008). Nicotinic acetylcholine receptors alpha4beta2 and alpha7 regulate myelo- and erythropoiesis within the bone marrow. *Int J Biochem Cell Biol* 40 (5), 980–990, [10.1016/j.biocel.2007.11.006](https://doi.org/10.1016/j.biocel.2007.11.006)
 115. **Utkin YN**, Osipov AV (2007). Non-lethal polypeptide components in cobra venom. *Curr Pharm Des* 13 (28), 2906–2915, [10.2174/138161207782023757](https://doi.org/10.2174/138161207782023757)
 116. Lyukmanova EN, Shenkarev ZO, Schulga AA, Ermolyuk YS, Mordvintsev DY, **Utkin YN**, Shulepko MA, Hogg RC, Bertrand D, Dolgikh DA, Tsetlin VI, Kirpichnikov MP (2007). Bacterial expression, NMR, and electrophysiology analysis of chimeric short/long-chain α -neurotoxins acting on neuronal nicotinic receptors. *J Biol Chem* 282 (34), 24784–24791, [10.1074/jbc.M611263200](https://doi.org/10.1074/jbc.M611263200)
 117. Starkov VG, Osipov AV, **Utkin YN** (2007). Toxicity of venoms from vipers of Pelias group to crickets *Gryllus assimilis* and its relation to snake entomophagy. *Toxicon* 49 (7), 995–1001, [10.1016/j.toxicon.2007.01.010](https://doi.org/10.1016/j.toxicon.2007.01.010)
 118. **Utkin YN**, Osipov AV (2007). Snake venom polypeptides affecting the central nervous system. *Cent Nerv Syst Agents Med Chem* 7 (2), 97–107, [10.2174/187152407780831657](https://doi.org/10.2174/187152407780831657)
 119. Tsetlin V, Shelukhina I, Kryukova E, Burbaeva G, Starodubtseva L, Skok M, Volpina O, **Utkin Y** (2007). Detection of $\alpha 7$ nicotinic acetylcholine receptors with the aid of antibodies and toxins. *Life Sci* 80 (2425), 2202–2205, [10.1016/j.lfs.2007.01.007](https://doi.org/10.1016/j.lfs.2007.01.007)
 120. Mordvintsev DY, Rodionov DI, Makarova MV, Kamensky AA, Levitskaya NG, Ogay AY, Rzhovsky DI,

- Murashev AN, Tsetlin VI, **Utkin YN** (2007). Behavioural effects in mice and intoxication symptomatology of weak neurotoxin from cobra *Naja kaouthia*. *Basic Clin Pharmacol Toxicol* 100 (4), 273–278, [10.1111/j.1742-7843.2007.00045.x](https://doi.org/10.1111/j.1742-7843.2007.00045.x)
121. Mordvitsev DY, Polyak YL, Kuzmin DA, Levtsova OV, Tourleigh YV, **Utkin YN**, Shaitan KV, Tsetlin VI (2007). Computer modeling of binding of diverse weak toxins to nicotinic acetylcholine receptors. *Comput Biol Chem* 31 (2), 72–81, [10.1016/j.compbiolchem.2007.02.011](https://doi.org/10.1016/j.compbiolchem.2007.02.011)
 122. Kasheverov IE, Zhmak MN, Vulfius CA, Gorbacheva EV, Mordvintsev DY, **Utkin YN**, Van Elk R, Smit AB, Tsetlin VI (2006). α -Conotoxin analogs with additional positive charge show increased selectivity towards *Torpedo californica* and some neuronal subtypes of nicotinic acetylcholine receptors. *FEBS J* 273 (19), 4470–4481, [10.1111/j.1742-4658.2006.05453.x](https://doi.org/10.1111/j.1742-4658.2006.05453.x)
 123. Tsetlin VI, Kasheverov IE, Zhmak MN, **Utkin YN**, Vulfius CA, Smit AB, Bertrand D (2006). α -conotoxin analogs with enhanced affinity for nicotinic receptors and acetylcholine-binding proteins. *J Mol Neurosci* 30 (12), 77–78, [10.1385/JMN:30:1:77](https://doi.org/10.1385/JMN:30:1:77)
 124. Makarova YV, Osipov AV, Tsetlin VI, **Utkin YN** (2006). Influence of phospholipases A2 from snake venoms on survival and neurite outgrowth in pheochromocytoma cell line PC12. *Biochemistry (Mosc)* 71 (6), 678–684, [10.1134/S0006297906060125](https://doi.org/10.1134/S0006297906060125)
 125. Kasheverov IE, Chiara DC, Zhmak MN, Maslennikov IV, Pashkov VS, Arseniev AS, **Utkin YN**, Cohen JB, Tsetlin VI (2006). α -conotoxin GI benzoylphenylalanine derivatives ¹H-NMR structures and photoaffinity labeling of the *Torpedo californica* nicotinic acetylcholine receptor. *FEBS J* 273 (7), 1373–1388, [10.1111/j.1742-4658.2006.05161.x](https://doi.org/10.1111/j.1742-4658.2006.05161.x)
 126. Kasheverov IE, **Utkin YN**, Tsetlin VI (2006). Natural α -conotoxins and their synthetic analogues in study of nicotinic acetylcholine receptors. *Russ. J. Bioorganic Chem.* 32 (2), 103–115, [10.1134/S1068162006020014](https://doi.org/10.1134/S1068162006020014)
 127. Mordvintsev DY, Polyak YL, Levtsova OV, Tourleigh YV, Kasheverov IE, Shaitan KV, **Utkin YN**, Tsetlin VI (2005). A model for short α -neurotoxin bound to nicotinic acetylcholine receptor from *Torpedo californica*: Comparison with long-chain α -neurotoxins and α -conotoxins. *Comput Biol Chem* 29 (6), 398–411, [10.1016/j.compbiolchem.2005.08.007](https://doi.org/10.1016/j.compbiolchem.2005.08.007)
 128. Gao W, Starkov VG, Tsetlin VI, **Utkin YN**, Lin ZJ, Bi RC (2005). Isolation and preliminary crystallographic studies of two new phospholipases A2 from *Vipera nikolskii* venom. *Acta Crystallogr Sect F Struct Biol Cryst Commun* 61 (2), 189–192, [10.1107/S1744309104033688](https://doi.org/10.1107/S1744309104033688)
 129. Osipov AV, Mordvintsev DY, Starkov VG, Galebskaya LV, Ryumina EV, Beltyukov PP, Kozlov LV, Romanov SV, Doljansky Y, Tsetlin VI, **Utkin YN** (2005). *Naja melanoleuca* cobra venom contains two forms of complement-depleting factor (CVF). *Toxicon* 46 (4), 394–403, [10.1016/j.toxicon.2005.05.003](https://doi.org/10.1016/j.toxicon.2005.05.003)
 130. Feofanov AV, Sharonov GV, Astapova MV, Rodionov DI, **Utkin YN**, Arseniev AS (2005). Cancer cell injury by cytotoxins from cobra venom is mediated through lysosomal damage. *Biochem J* 390 (1), 11–18, [10.1042/BJ20041892](https://doi.org/10.1042/BJ20041892)
 131. Kryukova EV, Mordvintsev DY, Daya S, **Utkin YN**, Tsetlin VI (2005). Polyclonal antibodies against native weak toxin *Naja kaouthia* discriminate native weak toxins and some other three-fingered toxins against their denaturated forms. *Toxicon* 46 (1), 24–30, [10.1016/j.toxicon.2005.03.017](https://doi.org/10.1016/j.toxicon.2005.03.017)
 132. Dubovskii PV, Lesovoy DM, Dubinnyi MA, Konshina AG, **Utkin YN**, Efremov RG, Arseniev AS (2005). Interaction of three-finger toxins with phospholipid membranes: Comparison of S- and P-type cytotoxins. *Biochem J* 387 (3), 807–815, [10.1042/BJ20041814](https://doi.org/10.1042/BJ20041814)
 133. Osipov AV, Levashov MY, Tsetlin VI, **Utkin YN** (2005). Cobra venom contains a pool of cysteine-rich secretory proteins. *Biochem Biophys Res Commun* 328 (1), 177–182, [10.1016/j.bbrc.2004.12.154](https://doi.org/10.1016/j.bbrc.2004.12.154)
 134. Vulfius CA, Tumina OB, Kasheverov IE, **Utkin YN**, Tsetlin VI (2005). Diversity of nicotinic receptors mediating Cl⁻ current in *Lymnaea* neurons distinguished with specific agonists and antagonist. *Neurosci Lett* 373 (3), 232–236, [10.1016/j.neulet.2004.10.010](https://doi.org/10.1016/j.neulet.2004.10.010)
 135. Ogay AY, Rzhnevsky DI, Murashev AN, Tsetlin VI, **Utkin YN** (2005). Weak neurotoxin from *Naja kaouthia* cobra venom affects haemodynamic regulation by acting on acetylcholine receptors. *Toxicon* 45 (1), 93–99, [10.1016/j.toxicon.2004.09.014](https://doi.org/10.1016/j.toxicon.2004.09.014)
 136. Shoibonov BB, Osipov AV, Kryukova EV, Zinchenko AA, Lakhtin VM, Tsetlin VI, **Utkin YN** (2005). Oxiagin from the *Naja oxiana* cobra venom is the first repolysin inhibiting the classical pathway of complement. *Mol Immunol* 42 (10), 1141–1153, [10.1016/j.molimm.2004.11.009](https://doi.org/10.1016/j.molimm.2004.11.009)

137. Feofanov AV, Sharonov GV, Dubinnyj MA, Astapova MV, Kudelina IA, Dubovskij PV, Rodionov DI, **Utkin YN**, Arseniev AS (2004). Comparative study of structure and activity of cytotoxins from venom of the cobras *Naja oxiana*, *Naja kaouthia*, and *Naja haje*. *Biochemistry (Mosc)* 69 (10), 1410–1421.
138. Kottwitz D, Kukhtina V, Dergousova N, Alexeev T, **Utkin Y**, Tsetlin V, Hucho F (2004). Intracellular domains of the δ -subunits of Torpedo and rat acetylcholine receptors—expression, purification, and characterization. *Protein Expr Purif* 38 (2), 237–247, [10.1016/j.pep.2004.07.017](https://doi.org/10.1016/j.pep.2004.07.017)
139. Feofanov AV, Sharonov GV, Dubinnyi MA, Astapova MV, Kudelina IA, Dubovskii PV, Rodionov DI, **Utkin YN**, Arseniev AS (2004). Comparative study of structure and activity of cytotoxins from venom of the cobras *naja oxiana*, *naja kaouthia*, and *naja haje*. *Biochemistry (Mosc)* 69 (10), 1148–1157, [10.1023/B:BIRY.0000046890.46901.7e](https://doi.org/10.1023/B:BIRY.0000046890.46901.7e)
140. Osipov AV, Astapova MV, Tsetlin VI, **Utkin YN** (2004). The first representative of glycosylated three-fingered toxins: Cytotoxin from the *Naja kaouthia* cobra venom. 271 (10), 2018–2027, [10.1111/j.1432-1033.2004.04115.x](https://doi.org/10.1111/j.1432-1033.2004.04115.x)
141. Skok MV, Kalashnik EN, Koval LN, Tsetlin VI, **Utkin YN**, Changeux JP, Grailhe R (2003). Functional nicotinic acetylcholine receptors are expressed in B lymphocyte-derived cell lines. *Mol Pharmacol* 64 (4), 885–889, [10.1124/mol.64.4.885](https://doi.org/10.1124/mol.64.4.885)
142. Korotina AS, Kryukova EV, Azeeva EA, Shevalier AF, **Utkin YN**, Tsetlin VI (2003). Sensitive Nonradioactive Method for Screening Compounds Interacting with Neuronal $\alpha 7$ Cholinoreceptor. *Russ. J. Bioorganic Chem.* 29 (4), 358–362, [10.1023/A:1024949101261](https://doi.org/10.1023/A:1024949101261)
143. Dubovskii PV, Lesovoy DM, Dubinnyi MA, **Utkin YN**, Arseniev AS (2003). Interaction of the P-type cardiotoxin with phospholipid membranes. 270 (9), 2038–2046, [10.1046/j.1432-1033.2003.03580.x](https://doi.org/10.1046/j.1432-1033.2003.03580.x)
144. Kasheverov IE, Zhmak MN, Maslennikov IV, **Utkin YN**, Tsetlin VI (2003). A comparative study on selectivity of α -conotoxins GI and Iml using their synthetic analogues and derivatives. *Neurochem Res* 28 (34), 599–606, [10.1023/A:1022889827195](https://doi.org/10.1023/A:1022889827195)
145. Oustitch TL, Peters LE, **Utkin YN**, Tsetlin VI (2003). Direct cloning of a target gene from a pool of homologous sequences: Complete cDNA sequence of a weak neurotoxin from cobra *Naja kaouthia*. *IUBMB Life* 55 (1), 43–47, [10.1080/1521654021000061664](https://doi.org/10.1080/1521654021000061664)
146. Kasheverov IE, Rozhkova AM, Zhmak MN, **Utkin YN**, Tsetlin VI (2002). Photoactivatable analogues of α -conotoxins GI and MI and their interaction with nicotinic acetylcholine receptor. *Russ. J. Bioorganic Chem.* 28 (2), 86–92, [10.1023/A:1015081405595](https://doi.org/10.1023/A:1015081405595)
147. Kasheverov IE, Rozhkova AM, Zhmak MN, **Utkin YN**, Tsetlin VI (2002). Photoactivatable analogues of α -conotoxins GI and MI and their interaction with nicotinic acetylcholine receptor. *Bioorg Khim* 28 (2), 107–108.
148. Osipov AV, Starkov VG, **Utkin YN** (2002). Toxicity of cobra venom components to cockroach *Gromphadorhina portentosa*. *Toxicon* 40 (10), 1507–1509, [10.1016/S0041-0101\(02\)00161-7](https://doi.org/10.1016/S0041-0101(02)00161-7)
149. Eletsy AV, Maslennikov IV, Kukhtina VV, **Utkin YN**, Tsetlin VI, Arseniev AS (2001). Structure and Conformational Heterogeneity of a Weak Toxin from the Cobra *Naja kaouthia* Venom. *Russ. J. Bioorganic Chem.* 27 (2), 72–83, [10.1023/A:1011376918514](https://doi.org/10.1023/A:1011376918514)
150. Rzhetskii DI, Murashev AN, Kukhtina VV, Tsetlin VI, **Utkin YN** (2001). The Weak Neurotoxin from the *Naja kaouthia* Cobra Venom Decreases the Arterial Blood Pressure in Rats. *Russ. J. Bioorganic Chem.* 27 (3), 195–197, [10.1023/A:1011337522449](https://doi.org/10.1023/A:1011337522449)
151. Zhmak MN, Kasheverov IE, **Utkin YN**, Tsetlin VI, Volpina OM, Ivanov VT (2001). An Efficient Synthetic Scheme for Natural α -Conotoxins and Their Analogues. *Russ. J. Bioorganic Chem.* 27 (2), 67–71, [10.1023/A:1011319101676](https://doi.org/10.1023/A:1011319101676)
152. **Utkin YN**, Kasheverov IE, Tsetlin VI (2001). α -Neurotoxins and α -conotoxins, blockers of nicotinic acetylcholine receptors. *Bioorg Khim* 25 (11), 805–810.
153. Rzhetskii DI, Murashev AN, Kukhtina VV, Tsetlin VI, **Utkin YN** (2001). The weak neurotoxin from the *Naja kaouthia* cobra venom decreases the arterial blood pressure in rats. *Bioorg Khim* 27 (3), 223.
154. Zhmak MN, Kasheverov IE, **Utkin YN**, Tsetlin VI, Volpina OM, Ivanov VT (2001). An efficient synthetic scheme for natural α -conotoxins and their analogues. *Bioorg Khim* 27 (2), 87–88.
155. Osipov AV, Weise C, Franke P, Kukhtina VV, Frings S, Hucho F, Tsetlin VI, **Utkin YN** (2001). Cobra Venom Contains a Protein of the CRISP Family. *Russ. J. Bioorganic Chem.* 27 (3), 198–199, [10.1023/A:1011389506519](https://doi.org/10.1023/A:1011389506519)

156. Dubinnyi MA, Dubovskii PV, **Utkin YN**, Simonova TN, Barsukov LI, Arseniev AS (2001). An ESR Study of the Cytotoxin II Interaction with Model Membranes. *Russ. J. Bioorganic Chem.* 27 (2), 84–94, [10.1023/A:1011329002584](https://doi.org/10.1023/A:1011329002584)
157. **Utkin YN**, Dubovskii PV, Dubinnyi MA, Zharavin VA, Simonova TN, Barsukov LI, Arseniev AS (2001). The Naja oxiana venom cytotoxin II spin-labeled at Lys35 for the EPR study of its interaction with phospholipid membranes. *Bioorg Khim* 25 (12), 930–932.
158. Kasheverov I, Rozhkova A, Zhmak M, **Utkin Y**, Ivanov V, Tsetlin VI (2001). Photoactivatable α -conotoxins reveal contacts with all subunits as well as antagonist-induced rearrangements in the Torpedo californica acetylcholine receptor. 268 (13), 3664–3673, [10.1046/j.1432-1327.2001.02272.x](https://doi.org/10.1046/j.1432-1327.2001.02272.x)
159. Vulfius CA, Krasts IV, **Utkin YN**, Tsetlin VI (2001). Nicotinic receptors in Lymnaea stagnalis neurons are blocked by α -neurotoxins from cobra venoms. *Neurosci Lett* 309 (3), 189–192, [10.1016/S0304-3940\(01\)02081-X](https://doi.org/10.1016/S0304-3940(01)02081-X)
160. **Utkin YN**, Kukhtina VV, Maslennikov IV, Eletsy AV, Starkov VG, Weise C, Franke P, Hucho F, Tsetlin VI (2001). First tryptophan-containing weak neurotoxin from cobra venom. *Toxicon* 39 (7), 921–927, [10.1016/S0041-0101\(00\)00223-3](https://doi.org/10.1016/S0041-0101(00)00223-3)
161. **Utkin YN**, Kukhtina VV, Kryukova EV, Chiodini F, Bertrand D, Methfessel C, Tsetlin VI (2001). «Weak Toxin» from Naja kaouthia is a Nontoxic Antagonist of $\alpha 7$ and Muscle-type Nicotinic Acetylcholine Receptors. *J Biol Chem* 276 (19), 15810–15815, [10.1074/jbc.M100788200](https://doi.org/10.1074/jbc.M100788200)
162. Kukhtina VV, Tsetlin VI, **Utkin YN** (2001). Two forms of nerve growth factor from cobra venom prevent the death of PC12 cells in serum-free medium. *J Nat Toxins* 10 (1), 9–16.
163. Osipov AV, Weise C, Franke P, Kukhtina VV, Frings S, Hucho F, Tsetlin VI, **Utkin YN** (2001). Cobra venom contains a protein of the CRISP family. *Bioorg Khim* 27 (3), 225–226.
164. Dubinnyi MA, Dubovskii PV, **Utkin YN**, Simonova TN, Barsukov LI, Arseniev AS (2001). An ESR study of the cytotoxin II interaction with model membranes. *Bioorg Khim* 27 (2), 112–113.
165. Dubovskii PV, Dementieva DV, Bocharov EV, **Utkin YN**, Arseniev AS (2001). Membrane binding motif of the P-type cardiotoxin. *J Mol Biol* 305 (1), 137–149, [10.1006/jmbi.2000.4283](https://doi.org/10.1006/jmbi.2000.4283)
166. Kukhtina VV, Weise C, Osipov AV, Starkov VG, Titov MI, Esipov SE, Ovchinnikova TV, Tsetlin VI, **Utkin YN** (2000). The MALDI mass spectrometry in the identification of new proteins in snake venoms. *Bioorg Khim* 26 (11), 803–807.
167. Kukhtina VV, Weise C, Osipov AV, Starkov VG, Titov MI, Esipov SE, Ovchinnikova TV, Tsetlin VI, **Utkin YN** (2000). The MALDI mass spectrometry in the identification of new proteins in snake venoms. *Russ. J. Bioorganic Chem.* 26 (11), 721–724, [10.1007/bf02759624](https://doi.org/10.1007/bf02759624)
168. **Utkin YN**, Tsetlin VI, Hucho F (2000). Structural organization of nicotinic acetylcholine receptors. *Cancer Biol Med* 13 (2), 143–164.
169. **Utkin YN** (2000). Photoactivatable derivatives of peptide and protein ligands in the study of neuroreceptor structure. *Bioorg Khim* 26 (1), 23–24.
170. Kukhtina VV, Weise C, Muranova TA, Starkov VG, Franke P, Hucho F, Wnendt S, Gillen C, Tsetlin VI, **Utkin YN** (2000). Muscarinic toxin-like proteins from cobra venom. 267 (23), 6784–6789, [10.1046/j.1432-1033.2000.01775.x](https://doi.org/10.1046/j.1432-1033.2000.01775.x)
171. **Utkin YN**, Dubovskii PV, Dubinnyi MA, Zharavin VA, Simonova TN, Barsukov LI, Arseniev AS (1999). The Naja oxiana venom cytotoxin II spin-labeled at Lys35 for the EPR study of its interaction with phospholipid membranes. *Russ. J. Bioorganic Chem.* 25 (12), 828–829.
172. **Utkin YN**, Zhmak MN, Methfessel C, Tsetlin VI (1999). Synthesis of iodinated photoactivatable derivative. *Toxicon* 37 (12), 1683–1695, [10.1016/S0041-0101\(99\)00111-7](https://doi.org/10.1016/S0041-0101(99)00111-7)
173. **Utkin YN**, Tsetlin VI, Hucho F (1999). Structural organization of the nicotinic acetylcholine receptors. *BIOL MEMBRANY* 16 (2), 118–134.
174. **Utkin YN**, Kasheverov IE, Tsetlin VI (1999). α -neurotoxins and α -conotoxins, blockers of nicotinic acetylcholine receptors. *Russ. J. Bioorganic Chem.* 25 (11), 711–716.
175. Alexeev T, Krivoshein A, Shevalier A, Kudelina I, Telyakova O, Vincent A, **Utkin Y**, Hucho F, Tsetlin V (1999). Physicochemical and immunological studies of the N-terminal domain of the Torpedo acetylcholine receptor α -subunit expressed in Escherichia coli. 259 (12), 310–319, [10.1046/j.1432-1327.1999.00041.x](https://doi.org/10.1046/j.1432-1327.1999.00041.x)
176. Kasheverov I, Zhmak M, Chivilyov E, Saez-Brionez P, **Utkin Y**, Hucho F, Tsetlin V (1999). Benzophenone-

- type photoactivatable derivatives of α -neurotoxins and α -conotoxins in studies on Torpedo nicotinic acetylcholine receptor. *J Recept Signal Transduct Res* 19 (14), 559–571, [10.3109/10799899909036672](https://doi.org/10.3109/10799899909036672)
177. Krivoshein AV, Kudelina IA, Alexeev TA, Shevalier AF, **Utkin YN**, Tsetlin VI (1998). The Secondary Structure of Some α -Subunit Fragments of Torpedo californica Acetylcholine Receptor. *Bioorg Khim* 24 (12), 931–932.
178. Krivoshein AV, Kudelina IA, Alekseev TA, Shevalier AF, **Utkin YN**, Tsetlin VI (1998). The secondary structure of some α -subunit fragments of Torpedo californica acetylcholine receptor. *Russ. J. Bioorganic Chem.* 24 (12), 825–827.
179. Lugovskoy AA, Maslennikov IV, **Utkin YN**, Tsetlin VI, Cohen JB, Arseniev AS (1998). Spatial structure of the M3 transmembrane segment of tire nicotinic acetylcholine receptor α subunit. 255 (2), 455–461, [10.1046/j.1432-1327.1998.2550455.x](https://doi.org/10.1046/j.1432-1327.1998.2550455.x)
180. **Utkin YN**, Krivoshein AV, Davydov VL, Kasheverov IE, Franke P, Maslennikov IV, Arseniev AS, Hucho F, Tsetlin VI (1998). Labeling of Torpedo californica nicotinic acetylcholine receptor subunits by cobra toxin derivatives with photoactivatable groups of different chemical nature at Lys23. 253 (1), 229–235, [10.1046/j.1432-1327.1998.2530229.x](https://doi.org/10.1046/j.1432-1327.1998.2530229.x)
181. Kasheverov I, **Utkin Y**, Weise C, Franke P, Hucho F, Tsetlin V (1998). Reverse-phase chromatography isolation and MALDI mass spectrometry of the acetylcholine receptor subunits. *Protein Expr Purif* 12 (2), 226–232, [10.1006/prev.1997.0833](https://doi.org/10.1006/prev.1997.0833)
182. Kasheverov IE, **Utkin YN**, Franke P, Tsetlin VI (1997). Substance P derivatives with photoactivatable labels in the N-terminal part of the molecule. *Chem Biol Drug Des* 50 (6), 408–414, [10.1111/j.1399-3011.1997.tb01203.x](https://doi.org/10.1111/j.1399-3011.1997.tb01203.x)
183. Kasheverov IE, **Utkin YN**, Tsetlin VI (1997). Antagonists of the Tachykinin Receptors. *Bioorg Khim* 23 (6), 464–468.
184. Kasheverov IE, **Utkin YN**, Tsetlin VI (1997). Antagonists of the tachykinin receptors. *Russ. J. Bioorganic Chem.* 23 (6), 419–435.
185. **Utkin YN**, Mund M, Hucho F, Tsetlin VI (1996). Efficient Binding of α -Bungarotoxin by a Solubilized α -Subunit of the Torpedo californica Acetylcholine Receptor. *Bioorg Khim* 22 (5), 388–389.
186. **Utkin YN**, Mund M, Hucho F, Tsetlin VI (1996). Efficient binding of α -bungarotoxin by a solubilized α subunit of the Torpedo californica acetylcholine receptor. *Russ. J. Bioorganic Chem.* 22 (5), 336–337.
187. Dementeva DV, **Utkin YN**, Arseniev AS (1996). Secondary structure and conformational heterogeneity of cytotoxin II from Naja naja oxiana. *Russ. J. Bioorganic Chem.* 22 (5), 289–302.
188. Dementeva DV, **Utkin YN**, Arseniev AS (1996). Secondary Structure and Conformational Heterogeneity of Cytotoxin II from Naja naja oxiana. *Bioorg Khim* 22 (5), 351–352.
189. Machold J, **Utkin Y**, Kirsch D, Kaufmann R, Tsetlin V, Hucho F (1995). Photolabeling reveals the proximity of the α -neurotoxin binding site to the M2 helix of the ion channel in the nicotinic acetylcholine receptor. *Proc Natl Acad Sci U S A* 92 (16), 7282–7286, [10.1073/pnas.92.16.7282](https://doi.org/10.1073/pnas.92.16.7282)
190. **Utkin YN**, Hatanaka Y, Franke P, Machold J, Hucho F, Tsetlin VI (1995). Synthesis of nitrodiaziriny derivatives of neurotoxin II from Naja naja oxiana and their interaction with the Torpedo californica nicotinic acetylcholine receptor. *J Protein Chem* 14 (4), 197–203, [10.1007/BF01886760](https://doi.org/10.1007/BF01886760)
191. Machold J, Weise C, **Utkin Y**, Tsetlin V, Hucho F (1995). The Handedness of the Subunit Arrangement of the Nicotinic Acetylcholine Receptor from Torpedo californica. *FEBS J* 234 (2), 427–430, [10.1111/j.1432-1033.1995.427b.x](https://doi.org/10.1111/j.1432-1033.1995.427b.x)
192. **Utkin YN**, Kobayashi Y, Hucho F, Tsetlin VI (1994). Relationship between the binding sites for an α -conotoxin and snake venom neurotoxins in the nicotinic acetylcholine receptor from Torpedo californica. *Toxicon* 32 (9), 1153–1157, [10.1016/0041-0101\(94\)90399-9](https://doi.org/10.1016/0041-0101(94)90399-9)
193. GOLOVANOV AP, LOMIZE AL, ARSENIIEV AS, **UTKIN YN**, TSETLIN VI (1993). Two-dimensional 1H-NMR study of the spatial structure of neurotoxin II from Naja naja oxiana. *FEBS J* 213 (3), 1213–1223, [10.1111/j.1432-1033.1993.tb17872.x](https://doi.org/10.1111/j.1432-1033.1993.tb17872.x)
194. Kreienkamp HJ, Weise C, Hucho F, **Utkin YN**, Machold J, Tsetlin VI (1992). Investigation of Ligand-Binding Sites of the Acetylcholine Receptor Using Photoactivatable Derivatives of Neurotoxin II from Naja naja oxiana. *Biochemistry* 31 (35), 8239–8244, [10.1021/bi00150a017](https://doi.org/10.1021/bi00150a017)
195. **Utkin YN**, Lazakovich EM, Kasheverov IE, Tsetlin VI (1989). α -Bungarotoxin interacts with the rat brain tachykinin receptors. *FEBS Lett* 255 (1), 111–115, [10.1016/0014-5793\(89\)81071-3](https://doi.org/10.1016/0014-5793(89)81071-3)

196. **Utkin YN**, Lazakovich EM, Kaydalov AA, Kasheverov IE, Tsetlin VI (1989). A study on the rat brain receptors for tachykinins and muramyl peptides. *J Protein Chem* 8 (3), 368–370, [10.1007/BF01674282](https://doi.org/10.1007/BF01674282)
197. Kaydalov AA, **Utkin YN**, Andronova TM, Tsetlin VI, Ivanov VT (1989). Muramyl peptides bind specifically to rat brain membranes. *FEBS Lett* 248 (12), 78–82, [10.1016/0014-5793\(89\)80435-1](https://doi.org/10.1016/0014-5793(89)80435-1)
198. Tsetlin VI, Karlsson E, **Utkin YN**, Pluzhnikov KA, Arseniev AS, Surin AM, Kondakov VV, Bystrov VF, Ivanov VT, Ovchinnikov YA (1982). Interacting surfaces of neurotoxins and acetylcholine receptor. *Toxicon* 20 (1), 83–93, [10.1016/0041-0101\(82\)90171-4](https://doi.org/10.1016/0041-0101(82)90171-4)
199. Arseniev AS, **Utkin YN**, Pashkov VS, Tsetlin VI, Ivanov VT, Bystrov VF, Ovchinnikov YA (1981). 19F NMR determination of intramolecular distances in spin- and fluorine-labelled proteins. Neurotoxin II *Naja naja oxiana*. *FEBS Lett* 136 (2), 269–274, [10.1016/0014-5793\(81\)80633-3](https://doi.org/10.1016/0014-5793(81)80633-3)
200. Tsetlin VI, Karlsson E, Arseniev AS, **Utkin YN**, Surin AM, Pashkov VS, Pluzhnikov KA, Ivanov VT, Bystrov VF, Ovchinnikov YA (1979). EPR And fluorescence study of interaction of *Naja naja oxiana* neurotoxin II and its derivatives with acetylcholine receptor protein from *Torpedo marmorata*. *FEBS Lett* 106 (1), 47–52, [10.1016/0014-5793\(79\)80692-4](https://doi.org/10.1016/0014-5793(79)80692-4)
201. ARSENIIEV AS, BALASHOVA TA, **UTKIN YN**, TSETLIN VI, BYSTROV VF, IVANOV VT, OVCHINNIKOV YA (1976). Proton-Nuclear-Magnetic-Resonance Study of the Conformation of Neurotoxin II from Middle-Asian Cobra (*Naja naja oxiana*) Venom. *FEBS J* 71 (2), 595–606, [10.1111/j.1432-1033.1976.tb11150.x](https://doi.org/10.1111/j.1432-1033.1976.tb11150.x)