



- of Extracellular pH. *Russ. J. Bioorganic Chem.* 47 (5), 1060–1065, [10.1134/S1068162021040178](https://doi.org/10.1134/S1068162021040178)
4. Pakhomov AA, Pastukhova AA, Tishkin GV, **Martynov VI** (2021). Transformations of the Chromophore in the Course of Maturation of a Chromoprotein from *Actinia equina*. *Russ. J. Bioorganic Chem.* 47 (1), 230–235, [10.1134/S1068162021010167](https://doi.org/10.1134/S1068162021010167)
  5. Frolova AY, Pakhomov AA, **Martynov VI** (2021). Physicochemical Properties of Photoconvertible Fluorescent Protein from *Montastraea cavernosa*. *Russ. J. Bioorganic Chem.* 47 (1), 244–251, [10.1134/S1068162021010052](https://doi.org/10.1134/S1068162021010052)
  6. Pakhomov AA, Frolova AY, Tabakmakher VM, Chugunov AO, Efremov RG, **Martynov VI** (2020). Impact of external amino acids on fluorescent protein chromophore biosynthesis revealed by molecular dynamics and mutagenesis studies. *J Photochem Photobiol B* 206, 111853, [10.1016/j.jphotobiol.2020.111853](https://doi.org/10.1016/j.jphotobiol.2020.111853)
  7. **Martynov VI**, Pakhomov AA, Deyev IE, Petrenko AG (2018). Genetically encoded fluorescent indicators for live cell pH imaging. *BIOCHIM BIOPHYS ACTA* 1862 (12), 2924–2939, [10.1016/j.bbagen.2018.09.013](https://doi.org/10.1016/j.bbagen.2018.09.013)
  8. Pakhomov AA, **Martynov VI**, Orsa AN, Bondarenko AA, Chertkova RV, Lukyanov KA, Petrenko AG, Deyev IE (2017). Fluorescent protein Dendra2 as a ratiometric genetically encoded pH-sensor. *Biochem Biophys Res Commun* 493 (4), 1518–1521, [10.1016/j.bbrc.2017.09.170](https://doi.org/10.1016/j.bbrc.2017.09.170)
  9. Pakhomov AA, Mironiuk VB, Kononevich YN, Korlyukov AA, Volodin AD, Pryakhina TA, **Martynov VI**, Muzafarov AM (2017). Synthesis and crystal structure of a meso-decene-BODIPY dye as a functional bright fluorophore for silicone matrices. *MENDELEEV COMMUN* 27 (4), 363–365, [10.1016/j.mencom.2017.07.014](https://doi.org/10.1016/j.mencom.2017.07.014)
  10. Pakhomov AA, Chertkova RV, Deyev IE, Petrenko AG, **Martynov VI** (2017). Generation of photoactivatable fluorescent protein from photoconvertible ancestor. *Russ. J. Bioorganic Chem.* 43 (3), 340–343, [10.1134/S106816201703013X](https://doi.org/10.1134/S106816201703013X)
  11. Pakhomov AA, Deyev IE, Ratnikova NM, Chumakov SP, Mironiuk VB, Kononevich YN, Muzafarov AM, **Martynov VI** (2017). BODIPY-based dye for no-wash live-cell staining and imaging. *Biotechniques* 63 (2), 77–79, [10.2144/000114577](https://doi.org/10.2144/000114577)
  12. Pakhomov AA, Kononevich YN, Korlyukov AA, **Martynov VI**, Muzafarov AM (2016). Synthesis, crystal structure and optical properties of a new meso-acrylate BODIPY dye. *MENDELEEV COMMUN* 26 (3), 196–198, [10.1016/j.mencom.2016.04.005](https://doi.org/10.1016/j.mencom.2016.04.005)
  13. Pakhomov AA, Kononevich YN, Stukalova MV, Svidchenko EA, Surin NM, Cherkaev GV, Shchegolikhina OI, **Martynov VI**, Muzafarov AM (2016). Synthesis and photophysical properties of a new BODIPY-based siloxane dye. *Tetrahedron Lett* 57 (9), 979–982, [10.1016/j.tetlet.2016.01.059](https://doi.org/10.1016/j.tetlet.2016.01.059)
  14. Pletneva NV, Pletnev S, Pakhomov AA, Chertkova RV, **Martynov VI**, Muslinkina L, Dauter Z, Pletnev VZ (2016). Crystal structure of the fluorescent protein from *Dendronephthya* sp. in both green and photoconverted red forms. *Acta Crystallogr D Struct Biol* 72 (8), 922–932, [10.1107/S205979831601038X](https://doi.org/10.1107/S205979831601038X)
  15. **Martynov VI**, Pakhomov AA, Popova NV, Deyev IE, Petrenko AG (2016). Synthetic Fluorophores for Visualizing Biomolecules in Living Systems. *Acta Naturae* 8 (4), 33–46, [10.32607/20758251-2016-8-4-33-46](https://doi.org/10.32607/20758251-2016-8-4-33-46)
  16. Pakhomov AA, Chertkova RV, **Martynov VI** (2015). PH-sensor properties of a fluorescent protein from *Dendronephthya* sp. *Russ. J. Bioorganic Chem.* 41 (6), 602–606, [10.1134/S1068162015060114](https://doi.org/10.1134/S1068162015060114)
  17. Ilnitskaya EV, Kononevich YN, Muzafarov AM, Rzhavskiy SA, Shadrin IA, Babaev EV, **Martynov VI**, Pakhomov AA (2015). Preparation and application of a BODIPY-labeled probe for a real-time polymerase chain reaction. *Russ. J. Bioorganic Chem.* 41 (4), 451–453, [10.1134/S1068162015040068](https://doi.org/10.1134/S1068162015040068)
  18. Pletneva NV, Pletnev VZ, Souslova E, Chudakov DM, Lukyanov S, **Martynov VI**, Arhipova S, Artemyev I, Wlodawer A, Dauter Z, Pletnev S (2013). Yellow fluorescent protein phiYFPv (*Phialidium*): Structure and structure-based mutagenesis. *Acta Crystallogr D Biol Crystallogr* 69 (6), 1005–1012, [10.1107/S0907444913004034](https://doi.org/10.1107/S0907444913004034)
  19. Pakhomov AA, Tretyakova SA, **Martynov VI** (2012). The influence of chromophore-protein interactions on spectroscopic properties of the yellow fluorescent protein. *Dokl Biochem Biophys* 445 (1), 207–209, [10.1134/S1607672912040072](https://doi.org/10.1134/S1607672912040072)
  20. Pakhomov AA, **Martynov VI** (2011). A method for the determination of the three-dimensional structure of fluorescent proteins based on homology modeling and mass spectrometry. *Russ. J. Bioorganic Chem.* 37 (3), 383–386, [10.1134/S1068162011030137](https://doi.org/10.1134/S1068162011030137)
  21. Pakhomov AA, **Martynov VI** (2011). [3D-structure determination of fluorescent proteins by homology modeling combined with mass spectrometry]. *Bioorg Khim* 37 (3), 429–432.

22. Pakhomov AA, **Martynov VI** (2011). Probing the structural determinants of yellow fluorescence of a protein from *Phialidium* sp. *Biochem Biophys Res Commun* 407 (1), 230–235, [10.1016/j.bbrc.2011.03.004](https://doi.org/10.1016/j.bbrc.2011.03.004)
23. Pletneva NV, Pletnev VZ, Lukyanov KA, Gurskaya NG, Goryacheva EA, **Martynov VI**, Wlodawer A, Dauter Z, Pletnev S (2010). Structural evidence for a dehydrated intermediate in green fluorescent protein chromophore biosynthesis. *J Biol Chem* 285 (21), 15978–15984, [10.1074/jbc.M109.092320](https://doi.org/10.1074/jbc.M109.092320)
24. Pakhomov AA, Tretiakova IA, **Martynov VI** (2010). Posttranslational reactions resulting in a long-wavelength shift in the spectra of asFP595 protein from *Anemonia sulcata*. *Bioorg Khim* 36 (1), 117–121.
25. Pakhomov AA, Tretiakova YA, **Martynov VI** (2010). Posttranslational reactions that shift spectra of asFP595, a Protein from *Anemonia sulcata*, towards the long-wavelength region. *Russ. J. Bioorganic Chem.* 36 (1), 109–113, [10.1134/S1068162010010127](https://doi.org/10.1134/S1068162010010127)
26. Pletnev S, Gurskaya NG, Pletneva NV, Lukyanov KA, Chudakov DM, **Martynov VI**, Popov VO, Kovalchuk MV, Wlodawer A, Dauter Z, Pletnev V (2009). Structural basis for phototoxicity of the genetically encoded photosensitizer KillerRed. *J Biol Chem* 284 (46), 32028–32039, [10.1074/jbc.M109.054973](https://doi.org/10.1074/jbc.M109.054973)
27. Pakhomov AA, **Martynov VI** (2009). Posttranslational chemistry of proteins of the GFP family. *Biochemistry (Mosc)* 74 (3), 250–259, [10.1134/S000629790903002X](https://doi.org/10.1134/S000629790903002X)
28. Pakhomov AA, **Martynov VI** (2008). GFP Family: Structural Insights into Spectral Tuning. *Cell Chem Biol* 15 (8), 755–764, [10.1016/j.chembiol.2008.07.009](https://doi.org/10.1016/j.chembiol.2008.07.009)
29. Pakhomov AA, **Martynov VI** (2007). Chromophore aspartate oxidation-decarboxylation in the green-to-red conversion of a fluorescent protein from *Zoanthus* sp. 2. *Biochemistry* 46 (41), 11528–11535, [10.1021/bi700721x](https://doi.org/10.1021/bi700721x)
30. Pletneva N, Pletnev V, Tikhonova T, Pakhomov AA, Popov V, **Martynov VI**, Wlodawer A, Dauter Z, Pletnev S (2007). Refined crystal structures of red and green fluorescent proteins from the button polyp *Zoanthus*. *Acta Crystallogr D Biol Crystallogr* 63 (10), 1082–1093, [10.1107/S0907444907042461](https://doi.org/10.1107/S0907444907042461)
31. Pletneva NV, Pletnev SV, Chudakov DM, Tikhonova TV, Popov VO, **Martynov VI**, Wlodawer A, Dauter Z, Pletnev VZ (2007). Three-dimensional structure of yellow fluorescent protein zYFP538 from *Zoanthus* sp. at the resolution 1.8 angstrom. *Bioorg Khim* 33 (4), 421–430.
32. Pletneva NV, Pletnev SV, Chudakov DM, Tikhonova TV, Popov VO, **Martynov VI**, Wlodawer A, Dauter Z, Pletnev VZ (2007). Three-dimensional structure of yellow fluorescent protein zYFP538 from *Zoanthus* sp. at the resolution 1.8 Å. *Russ. J. Bioorganic Chem.* 33 (4), 390–398, [10.1134/S1068162007040048](https://doi.org/10.1134/S1068162007040048)
33. Tretiakova YA, Pakhomov AA, **Martynov VI** (2007). Chromophore structure of the kindling fluorescent protein asFP595 from *Anemonia sulcata*. *J Am Chem Soc* 129 (25), 7748–7749, [10.1021/ja071992c](https://doi.org/10.1021/ja071992c)
34. Pakhomov AA, Pletneva NV, Balashova TA, **Martynov VI** (2006). Structure and reactivity of the chromophore of a GFP-like chromoprotein from *Condylactis gigantea*. *Biochemistry* 45 (23), 7256–7264, [10.1021/bi060207q](https://doi.org/10.1021/bi060207q)
35. Pletneva N, Pletnev S, Tikhonova T, Popov V, **Martynov V**, Pletnev V (2006). Structure of a red fluorescent protein from *Zoanthus*, zRFP574, reveals a novel chromophore. *Acta Crystallogr D Biol Crystallogr* 62 (5), 527–532, [10.1107/S0907444906007852](https://doi.org/10.1107/S0907444906007852)
36. Yampolsky IV, Remington SJ, **Martynov VI**, Potapov VK, Lukyanov S, Lukyanov KA (2005). Synthesis and properties of the chromophore of the asFP595 chromoprotein from *Anemonia sulcata*. *Biochemistry* 44 (15), 5788–5793, [10.1021/bi047643z](https://doi.org/10.1021/bi047643z)
37. Pakhomov AA, Martynova NY, Gurskaya NG, Balashova TA, **Martynov VI** (2004). Photoconversion of the chromophore of a fluorescent protein from *Dendronephthya* sp. coral. *Biochemistry (Mosc)* 69 (8), 1108–1117.
38. Pakhomov AA, Martynova NY, Gurskaya NG, Balashova TA, **Martynov VI** (2004). Photoconversion of the chromophore of a fluorescent protein from *Dendronephthya* sp. *Biochemistry (Mosc)* 69 (8), 901–908, [10.1023/B:BIRY.0000040223.09641.29](https://doi.org/10.1023/B:BIRY.0000040223.09641.29)
39. **Martynov VI**, Maksimov BI, Martynova NY, Pakhomov AA, Gurskaya NG, Lukyanov SA (2003). A Purple-blue Chromoprotein from *Goniopora tenuidens* Belongs to the DsRed Subfamily of GFP-like Proteins. *J Biol Chem* 278 (47), 46288–46292, [10.1074/jbc.M306810200](https://doi.org/10.1074/jbc.M306810200)
40. Fradkov AF, Verkhusha VV, Staroverov DB, Bulina ME, Yanushevich YG, **Martynov VI**, Lukyanov S, Lukyanov KA (2002). Far-red fluorescent tag for protein labelling. *Biochem J* 368 (1), 17–21, [10.1042/BJ20021191](https://doi.org/10.1042/BJ20021191)

41. Gurskaya NG, Fradkov AF, Terskikh A, Matz MV, Labas YA, **Martynov VI**, Yanushevich YG, Lukyanov KA, Lukyanov SA (2001). GFP-like chromoproteins as a source of far-red fluorescent proteins. *FEBS Lett* 507 (1), 16–20, [10.1016/S0014-5793\(01\)02930-1](https://doi.org/10.1016/S0014-5793(01)02930-1)
42. **Martynov VI**, Savitsky AP, Martynova NY, Savitsky PA, Lukyanov KA, Lukyanov SA (2001). Alternative cyclization in GFP-like proteins family. The formation and structure of the chromophore of a purple chromoprotein from *Anemonia sulcata*. *J Biol Chem* 276 (24), 21012–21016, [10.1074/jbc.M100500200](https://doi.org/10.1074/jbc.M100500200)
43. **Martynov VI**, Kostina MB, Feigina Mlu, Miroshnikov AI (1983). Limited proteolysis studies on molecular organization of bovine rhodopsin in the photoreceptor membrane. 9, 734–745.